

# Standardized Usability Questionnaires: Features and Quality Focus

Ahlem Assila<sup>1,2</sup>, Káthia Marçal de Oliveira<sup>1</sup>, Houcine Ezzedine<sup>1</sup>

<sup>1</sup> LAMIH UMR CNRS 8201F-59313, University of Valenciennes, France

<sup>2</sup> SETIT, University of Sfax, BP 1175, 3038, Tunisia

{Ahlem.Assila, Kathia.Oliveira, Houcine.Ezzedine}@univ-valenciennes.fr

**Abstract** – For the last few decades more than twenty standardized usability questionnaires for evaluating software systems have been proposed. These instruments have been widely used in the assessment of usability of user interfaces. They have their own characteristics, can be generic or address specific kinds of systems and can be composed of one or several items. Some comparison or comparative studies were also conducted to identify the best one in different situations. All these issues should be considered while choosing a questionnaire. In this paper, we present an extensive review of these questionnaires considering their key features, some classifications and main comparison studies already performed. Moreover, we present the result of a detailed analysis of all items being evaluated in each questionnaire to indicate those that can identify users' perceptions about specific usability problems. This analysis was performed by confronting each questionnaire item (around 475 items) with usability criteria proposed by quality standards (ISO 9421-11 and ISO/WD 9241-112) and classical quality ergonomic criteria.

**Keywords** – *Human-Computer Interaction; user interfaces; evaluation; usability; Standardized questionnaire.*

## I. INTRODUCTION

It is common sense that usability evaluation has a great importance on Human-Computer Interaction (HCI). When talking about the usability evaluation, we address the proposed methods and models of the evaluation. Considering the large number of usability evaluation methods, standardized usability questionnaires are valuable tools intended for the assessment of perceived usability [1]. By gathering user perceptions about user interfaces, questionnaires can help to identify usability flaws for making improvements and measure user satisfaction [3]. In the literature, various standardized usability questionnaires have been proposed (see [3]). To choose the best one for each situation, it is important to know information about their key features, composed items, studies and classifications already performed. We argue also that despite the fact the questionnaire is usually defined to address general issues (usability and usefulness), it is also relevant to identify which specific issue they can capture about the user interface.

In light of this, we present in this paper a review of 24 standardized usability questionnaires by summarizing their key features, the classifications and main comparison studies already performed. We then emphasize a review of the questionnaires according to specific related usability criteria. To that end, an analysis of all the items was performed against each usability criteria proposed from the best known quality standards (ISO 9241-11 and ISO/WD 9241-112) and classical quality ergonomic criteria. Our goal is to provide practitioners and HCI researchers useful

information that support them in selecting the appropriate tool according to their requirements.

The remainder of this paper is structured as follows. In section 2, we present briefly the fundamental usability concepts. Then in section 3, we review the most validated standardized usability questionnaires used for assessing user interfaces based on the literature. In section 4, we describe our analysis of the questionnaire items based on common standard usability criteria. Subsequently, we present a discussion. Finally, we provide a conclusion and we draw some perspectives in section 5.

## II. USABILITY EVALUATION

Usability evaluation has been well-defined and well-studied. Preece et al. indicated that usability is a basic concept in HCI and its main purpose is to make systems easy to use and learn [9]. Over the last few decades, several usability definitions concerning specific criteria have been published in the HCI literature [10]. According to Shackel usability is “*the capability to be used by humans easily and effectively*” and associated with five criteria, i.e. effectiveness, learnability, retention, error and attitude [12]. Another significant definition is given by Schneiderman [13] who defined usability as “*a relation of effectiveness and efficiency of user interface and user's reaction to that interface*” [13].

A similar usability definition, which differs only in terminology, is stated by Nielsen [14] and includes five criteria, i.e. efficiency, learnability, memorability, errors/safety and satisfaction [15]. Other than these definitions, several lists of design principles, heuristics, ergonomic rules and measures for quality criteria have been proposed [10]. These studies aimed to provide the necessary guidelines and measures to be used for evaluating user interfaces and identifying usability problems.

Several international standards have also stated usability definitions [19]. The ISO 9241-11 defined it as “*the extent to which a product can be used by specified users to achieve specified goals with effectiveness, efficiency and satisfaction in a specified context of use*” [19]. This definition associated three criteria (effectiveness, efficiency and satisfaction). More recently, the ISO/IEC<sup>1</sup> 25010 [21] known as the SQUARE standard (Systems and Software Quality Requirements and Evaluation) has included the ISO 9241-11 usability issues into a model characterized by five criteria, i.e. effectiveness, efficiency, satisfaction, freedom from risk and context coverage. In turn, these criteria have separated into sub-criteria; for example the satisfaction

<sup>1</sup> IEC : International Electrotechnical Commission

criterion, which includes usefulness, trust, pleasure and comfort [21].

Despite these different ways of defining usability, there is a common understanding that the scope of usability includes the evaluation of effectiveness, efficiency, satisfaction or the absence of usability problems [4]. Moreover, the evaluation can be classified as formative or summative. According to Hartson et al. [22], formative evaluation focuses on usability problems that need to be solved during the prototype design stage before a final design can be accepted for release; and, summative evaluation is then conducted to evaluate the efficacy of the final design or to compare competing design alternatives in terms of usability.

Several research efforts have been undertaken to perform HCI usability evaluation using subjective or objective methods [23]. While objective methods are based on capturing analytic data without direct interaction with users, subjective evaluation methods are focused on capturing user attitudes and judgments across the perceived usability [25]. Some of the subjective methods are interviews [27], focus groups [28], and questionnaires (our focus in this paper). This last one is undoubtedly the largest used subjective method since it is one of the least expensive evaluation methods that can be used for collecting data about the perceived usability of user interfaces [8].

### III. REVIEW OF STANDARDIZED USABILITY QUESTIONNAIRES

#### A. Panorama of standardized usability questionnaires used on HCI evaluation

Questionnaires were introduced as a natural way to discover issues related to users' satisfaction ([14]). Generally, standardized usability questionnaires have been proposed to provide a more reliable measure of the perceived usability ([1]). In this section, we present a summary review of the most widely used and validated standardized questionnaires in the evaluation of usability of user interfaces.

We found 24 questionnaires based on the main digital libraries (ACM, IEEE Xplore, Direct science, Elsevier, and Springer Link), as follows:

- Questionnaire for User Interface Satisfaction (QUIS) [31]
- Technology Acceptance Model questionnaire (TAM) [32].
- After-Scenario Questionnaire (ASQ) [33].
- Computer System Usability Questionnaire (CSUQ) [34]
- Post-Study System Usability Questionnaire (PSSUQ) [35].
- Software Usability Measurement Inventory (SUMI)[36]
- System Usability Scale (SUS) [37]
- Purdue Usability Testing Questionnaire (PUTQ) [38]

- Website Analysis Measurement Inventory (WAMMI) [39]
- Usefulness, Satisfaction and Ease of use (USE) [40]
- Expectation Ratings (ER) [41]
- Website Usability Evaluation tool (WEBUSE) [42]
- Usability Magnitude Estimation (UME) [43]
- Mobile Phone Usability Questionnaire (MPUQ) [44]
- Single Ease Question (SEQ) ([45])
- Website Evaluation Questionnaire (WEQ) [46]
- Subjective Mental Effort Question (SMEQ) [47]
- Usability Metric for User Experience (UMUX) [48]
- Standardized Universal Percentile Rank Questionnaire (SUPR-Q) ([5])
- Design-oriented Evaluation of Perceived usability (DEEP) [30]
- Turkish-Computer System Usability Questionnaire (T-CSUQ) [50]
- Usability Metric for User Experience-LITE (UMUX-LITE) [51]
- Speech User Interface Service Quality questionnaire (SUISQ) ([52])
- Alternate Usability (AltUsability) [6]

Starting with the first questionnaire which appeared in the late 1980s, Table 1 shows the main characteristics of standardized usability questionnaires considering:

- (i) The date of creation from first to last version of questionnaire;
- (ii) Global reliability degree using coefficient  $\alpha^2$ ;
- (iii) Kind of interface or the software system with which the questionnaire can be applied;
- (iv) Questionnaire items number;
- (v) The items styles (question and/or sentence);
- (vi) Questionnaire output; and
- (vii) Item scales (either Likert scale [54], Semantic differential scale [55], etc.).

From this table, some notable conclusions can be made. We note that 71% (17 from 24) of questionnaires can be applied to the evaluation of all types of interfaces (e.g. WIMP, Web, etc.) and they are addressed to computer software in general. Seven questionnaires support the evaluation of specific interfaces: five concern the web applications; one (SUISQ) dedicated to interactive voice response applications, and the last one (MPUQ) concerns mobile applications. Regarding the degree of reliability, all questionnaires have indicated good levels involving Cronbach alpha scores varying between 0.80 and 0.97.

<sup>2</sup> Coefficient alpha or Cronbach alpha: a fundamental element of psychometric assessment proposed by Nunnally [56]. It is a measure of internal consistency (reliability) that can range from 0 (completely unreliable) to 1 (perfectly reliable). The minimal acceptable value of scores calculated from the average of ratings from a questionnaire is equal to 0.7 [56].

Table 1. Key Proprieties of Existing Standardized Usability Questionnaires

Questionnaire	GR	Kind of user interface or system	Items number	Items styles	Outputs	Items scales
QUIS 1988→2011	0.94	Products and computer software	27: Version 5	sentence	Results can be imported into statistical programs and spreadsheets.	10 point semantic scale
TAM 1989	0.94 0.98	Products and software	12	sentence	No information	7 point semantic scale
ASQ 1990→1995	0.96	Computer software	3	sentence	The results are calculated using the average score between the seven points of the scale	7 point Likert scale
PSSUQ 1992→2002	0.94	Computer systems	18: Version 1 19: Version 2 16: Version 3	sentence	Results are calculated using the average score between the seven points of the scale.	7 point Likert scale
SUMI 1993→2011	0.92	Software applications	50:Version 4	sentence	The results are calculated using SUMISCO program which generate a csv file output	3 point dichotomous scale
CSUQ 1995→2002	0.95	Computer systems	18: Version 1 19: Version 2 16: Version 3	sentence	Results are calculated using the average score between the seven points of the scale.	7 point Likert scale
SUS 1996	0.92	Computer software	10	sentence	Overall value of SUS=sum the scores of all items and multiply it by 2.5. Scores are ranges from 0 to 100.	5 point Likert scale
PUTQ 1997	Not pub.	Information systems	100	question	No information	7 point Likert scale
WAMMI 1998→2000	0.90	Any kind of websites	20	sentence	Results are reported in graphical format	5 point Likert scale
USE 2001	Not Pub.	Products and computer software	30	sentence	No information	7 point Likert scale
ER 2003	Not Pub.	Computer software	2	sentence	Results are presented with a graph that indicates scatter plot of the returned scores	Likert scale: 7 point : Version 1 5 point: Version 2
WEBUSE 2003	>0.8	All types of websites	24	sentence	A report indicating the aspect of usability, the level for each criterion and the average score.	5 point Likert scale
UME 2003	Not Pub.	Computer software or product	1	sentence	The results are calculated using a mathematical formula related to the UME.	UME scale between a rating of 1 to 100
MPUQ 2005	0.96	Mobile phone applications	72	question	The outputs are based on an Analytic Hierarchy Process analysis including into developed decision-making models.	7 point Likert scale
SEQ 2006	>0.94	Computer software	1	sentence	The results are calculated using the average score between the (5 or 7) points of scale	Likert scale: 5 point : Version 1 7 point: Version 2
WEQ 2007	0.97	websites of the governmental organizations	32	sentence	Results are presented in a report including the analysis of users' comments for their scores.	5 point Likert scale
SMEQ 2009	>0.94	Computer software	1	question	No information	Graduated scale from 0 to 150
UMUX 2010	0.94	Computer software	4	sentence	To obtain the overall score of UMUX; sum the four items, divide by 24, and then multiply by 100.	7 point Likert scale
SUPR-Q 2011	0.94	Websites interfaces	13	question and sentence	Results reported a comparison between the returned scores and other websites' scores and it provides relative rankings expressed as percentages.	Likert scale: 5 point : Version 1 11 point: Version 2
DEEP 2012	0.95	The information-intensive web systems	19	sentence	No information	5 point Likert scale
T-CSUQ 2013	0.85	Computer systems	13	sentence	The results are calculated using the average score between the 7 points scale	7 point Likert scale
UMUX-LITE 2013	0.82/ 0.83	Computer software	2	sentence	Score of UMUX-LITE = [(Item1+Item2)-2]*(100/12) Scores are ranged from 0 to 100.	7 point Likert scale
SUISQ 2008 SUIQ-R 2015	0.93 0.88	Interactive voice response applications	25: Version 1 14: Version 2	sentence	The results are calculated using the average rating	5 point Likert scale
AltUsability 2015	0.9	Computer software	7	sentence	Overall value of AltUsability = $[\sum(\text{Item1, Item2, Item3, Item4, Item5, Item6, Item7}) - 7] * (100/42)$ Scores are ranged from 0 to 100.	7 point Likert scale

GR=Global Reliability Not Pub. = Not published

The majority of questionnaires (17 from 24) have very high levels of reliability ranging between 0.9 and 0.97, while three questionnaires have levels less than 0.90 and four other (PUTQ, USE, ER and UME) are validated without their precise Cronbach alpha values. WEQ has the highest level equal to 0.97. However, this questionnaire is dedicated only to the evaluation of web interfaces. The second highest level of reliability concerns MPUQ (0.96).

It also represents the only specific standardized questionnaire for mobile applications. Nevertheless, it has a large number of items (i.e. 72). In fact, we note also that the two questionnaires ASQ and CSUQ have high levels of reliability equal to 0.96 and 0.95, respectively. These questionnaires are characterized by a reduced number of items compared to others equal to 3 and 19, respectively. Furthermore, SUMI and QUIS indicated high reliability levels equal to 0.94 and 0.92, respectively.

Regarding the outputs of the questionnaires, different presentations of results have been proposed (e.g. graphic form, number, spreadsheets, and CSV files). Furthermore, there are various ways for calculating the results that depend on questionnaire scales such as the averaging method used by questionnaires which adopted Likert scales, the SUMISCO analysis program used by SUMI questionnaire, etc. Regarding scales used by questionnaires, the Likert scale represents the most common method that characterizes the majority of questionnaires. This scale was adopted by 80% of questionnaires using a variety of points (3, 5, 7, 10 or 11), whereas 20% of questionnaires are focused on other types of scales, such as dichotomous scale (e.g. SUMI) and semantic scale (e.g. QUIS).

Moreover, some other questionnaires have also been proposed. Those are used under different evaluation contexts for the evaluation of software systems and products. For instance, AttrackDiff [57] is an instrument to evaluate numerous aspects of the user experience such as the attraction to a product through the technique of word pairs. The Service User experience is another questionnaire used to assess the capabilities of modern web services in promoting and supporting a positive and engaging user experience [58]. As proposed by McNamara and Kirakowski [59], the Consumer Products Questionnaire allows measuring user-satisfaction with electronic consumer products.

More recently, Lewis and Mayes [60] have introduced the Emotional Metric Outcomes (EMO) questionnaire as a standardized instrument for assessing the emotional outcomes. It aims specifically to measure the effect of customer interaction, either with human or digital services. Nevertheless, it concerns a more specific measurement context (large sample unmoderated usability study). New research has recommended the use of EMO questionnaire under the user experience as a measurement that can complement the existing standardized usability questionnaires ([7]).

### *B. Existing classifications of standardized usability questionnaires*

A recent survey [3] about the widely used standardized usability questionnaires in the HCI literature divided them into three categories: the post-study questionnaires, the post-task questionnaires, and website usability questionnaires. The post-study questionnaires (first category) are used at the end of a study especially after completing a set of test scenarios. The post-task questionnaires (second category) are for a more contextual evaluation used immediately at the end of each task or scenario in a usability study. The last category included specific questionnaires dedicated to evaluating web applications such as WAMMI, SUPR-Q [3]. Among the best known post-study questionnaires, we found QUIS, SUMI, PSSUQ and SUS [3]. With regard to the post-task questionnaires, we found ASQ, SEQ, SMEQ, ER and UME [3].

Another significant work that includes a review of standardized usability questionnaires was presented by Yang et al. [30]. They identified three types of questionnaires depending on the kind of the evaluated system. It concerns universal perceived usability questionnaires, perceived usability questionnaires for websites, and perceived usability questionnaires for mobile applications. Universal questionnaires have included those applicable to assess any type of electronic products (e.g. USE, CSUQ, TAM, QUIS, SUS, and PUTQ). However, the two other types are specific to questionnaires for assessing websites (e.g. WAMMI) and mobile applications (e.g. MPUQ), respectively. We have classified the 24 standardized questionnaires found in the literature according to both categories as presented in Table 2.

Henceforth, we use the term “specific standardized usability questionnaires” to refer to the questionnaires specific for mobile, website or other specific kinds of applications (as the case of SUIQ/ SUIQ-R questionnaire which concerns interactive voice response applications) presented in Table 2. As shown in the table, we found in total 17 universal questionnaires which have been applied in the usability evaluation of several kinds of software applications. Some examples of those are presented in Table 3.

### *C. Comparing standardized usability questionnaires*

When reviewing the HCI literature, we found some studies that have conducted direct comparisons between various standardized usability questionnaires [3]. These studies have concerned only nine universal questionnaires, which are SUS, QUIS, CSUQ, UMUX, UMUX-Lite, AltUsability, SEQ, UME and SMEQ.

Various studies ([6]) are focused more on comparing SUS with other usability questionnaires and the investigation of correlation between them. This can be justified by the fact that SUS presents an industry standard described as “quick and dirty”, frequently used by a large number of usability studies and has been referenced in over 600 publications ([4]). Nevertheless, it is more useful to perform a quick general usability assessment than discovering usability problems with comprehensive view [37].

Table 2. Classifications of Questionnaires

Questionnaire	Questionnaires based on Yang et al. classification [30]			Questionnaires based on Sauro and Lewis classification [3]		
	Universal	For Website	For Mobile	Post-study	Post-task	For Website
QUIS	X			X		
TAM	X			X		
ASQ	X				X	
PSSUQ	X			X		
SUMI	X			X		
CSUQ	X			X		
SUS	X			X		
PUTQ	X			X		
WAMMI		X				X
USE	X			X		
ER	X				X	
WEBUSE		X				X
UME	X				X	
MPUQ			X	X		
WEQ		X				X
SMEQ	X				X	
SEQ	X				X	
UMUX	X			X		
SUPR-Q		X				X
DEEP		X				X
T-CSUQ	X			X		
UMUX-LITE	X			X		
SUISQ/ SUIQ-R				X		
AltUsability	X			X		
Total number	17 (from 24)	5 (from 24)	1 (from 24)	14 (from 24)	5 (from 24)	5 (from 24)

Table 3. Examples of Software Applications that have Applied Universal Questionnaires

Questionnaire	Examples of software applications
QUIS	Vending Machine [61]; educational software [62]
TAM	Virtual learning systems [63]; Augmented reality applications [64]
ASQ	Nursing information systems [65]; office application systems [33]
PSSUQ	Research information systems [66]
SUMI	Product Data Management System[67]; WebCost applications [68]
CSUQ	Virtual learning systems [63]; e-learning systems with Virtual Reality [69]; Students' information system [70]
SUS	Serious games [71]; Augmented reality software [72]
PUTQ	Recommender systems (Travel support system) [73]
USE	Robotic telepresence system [74]
ER	Intranet site application [45]
UME	Information systems (travel application) [47]
SMEQ	Information systems (travel application) [47]
SEQ	Intranet site application [45]
UMUX	e-learning applications [75]
T-CSUQ	Web-based course management system [50]
UMUX-LITE	e-learning applications [75]

In the study conducted by Tullis and Stetson [76] for assessing the usability of websites, SUS was compared with four questionnaires (QUIS, CSUQ,

Words<sup>3</sup>, and Ours<sup>4</sup>). The reported analysis results have shown that SUS was the fastest questionnaire to converge on the correct conclusion and also, it has reliable results across all used sample sizes. Furthermore, two recent studies ([6]) have investigated the correlation between SUS and other questionnaires. The first compared SUS with UMUX-LITE and AltUsability, and the second compared SUS with UMUX and UMUX-LITE.

As a consequence, the results of the two studies reported high correlation and correspondences between them (for more details see ([6])). Two other significant comparative studies are reported by Tedesco and Tullis [45] and Sauro and Dumas [47]. Those studies have concerned the five post-task standardized usability questionnaires [3]. In these studies, authors have focused on determining the most sensitive questionnaire by measuring their sensitivities.<sup>5</sup>

In the study conducted by Tedesco and Tullis [45], five questionnaires (SEQ-V1, SEQ-V2, ASQ, ER and SEQ-V3) were compared. Analysis has shown good results for all questionnaires with the larger sample size. However, it showed that SEQ-V1 was more sensitive using the smaller samples sizes [45]. In the second study, Sauro and Dumas compared SEQ with the two questionnaires SMEQ and UME. Using small samples sizes (< 5), analyses indicated

<sup>3</sup> Adapted from Microsoft's Product Reaction Cards [77]

<sup>4</sup> Questionnaire for assessing website usability [76]

<sup>5</sup> The capability of a standardized usability questionnaire to indicate significant difference between systems.

that questionnaires were insensitive with a very little difference between them. For sample sizes greater than five, results revealed that SMEQ had the best percentage of significant t-tests but was nevertheless insufficient ([3]). These two studies used both SMEQ and SEQ ([47]). We may conclude that the two studies [6] and [76] consolidated the use of UMUX, UMUX-LITE, and Alt Usability in addition to SUS. We could also say that both SEQ and SMEQ may be more useful than the other post-task questionnaires since they are more sensitive compared to ASQ, ER and UME ([47]).

However, we note that the other questionnaires listed in Table 1 have not been addressed in comparison studies. We argue that more comparisons between questionnaires are needed, considering not only direct comparisons or sensitivity measures but also quality issues treated by the questionnaires for supporting the choice of the most adequate one.

#### *D. Existing quality issues of standardized usability questionnaires*

By analyzing the standardized usability questionnaires, we identified that they explicitly identify different quality issues. In some papers, these issues mean quality criteria (such as satisfaction, usability, efficiency). In others, they correspond to features of the user interface (such as screen factors, links, layout, etc.). We identify each of these issues as summarized in Tables 4 and 5. The first table concerns universal questionnaires and the second includes the specific questionnaires.

As shown in Table 4, we found in total 30 existing quality issues of universal usability questionnaires. We note also from this table that the following quality issues (system usefulness, usability, overall ease of task completion and overall system) are the most frequent criteria considered by the questionnaires. Those criteria concern general issues of quality. For example, the CSUQ questionnaire deals with four general criteria: overall system, system usefulness, information quality, and interface quality.

Furthermore, we note that some questionnaires have focused on measuring more specific issues including PUTQ, SUMI and AltUsability. PUTQ covered eight issues (compatibility, learnability, consistency, flexibility, minimal action, minimal memory load, perceptual limitation and user guidance), but has 100 items, being the longest instrument we found. SUMI is the second longest instrument with 50 items. It covers five issues of quality (learnability, efficiency, affect, helpfulness, control). Practitioners and researchers should pay attention if the big number of items in a questionnaire can affect user opinions before performing evaluation [30]. AltUsability [6] is a recent instrument focus on more specific issues of

usability (EasyNav, AbleFind, familiar, need, efficient, control and appeal).

We observe also that ER, SMEQ and SEQ are the shortest questionnaires (with only 1 item) that only cover a general issue concerns overall ease of task completion. Concerning specific usability questionnaires, we can see from Table 5 that they cover 38 quality issues. However, we found that not all of them are different; in fact, these issues can vary in terms of the terminologies used (e.g. learnability (WAMMI) and ease of learning (MPUQ)).

We distinguished that some questionnaires concern general quality issues, for example we quote SUPR-Q, which covers four issues including usability and appearance. Some others are addressed more specifically. As an example, we note that Navigation related to DEEP questionnaire is restrained by WEQ questionnaire as a function of five sub-criteria (user friendliness, structure, hyperlinks, speed and search option). Some other questionnaires have combined sub-criteria into a single criterion as is the cases of WEBUSE (content, organization and readability), DEEP (Structure and Information Architecture), and MPUQ (Control and Efficiency, Ease of Learning and Use).

We can conclude that, although the literature indicates several quality issues that are addressed by the questionnaires, the majority of them are related to general issues and do not explicitly state which item covers the quoted quality issues to better support decision-making. Moreover, it should be interesting to make these quality issues uniform by traditional quality criteria defined by standards and known guidelines. Believing that a detailed analysis of items of questionnaires is essential to better support the choice of a questionnaire that addresses better the quality requirements of the specific system being evaluated, we analyzed the 24 usability questionnaires against known quality criteria as presented in next section.

#### IV. ANALYSIS OF STANDARDIZED USABILITY QUESTIONNAIRES BASED ON COMMON STANDARD USABILITY CRITERIA

To perform our analysis, we decide to take into account two largely used usability set of criteria defined in literature: those proposed by the standard ISO 9241-11 standard [19] (effectiveness, efficiency and satisfaction), and ergonomic criteria ((e.g. control, compatibility, consistency, flexibility, minimal action, minimal memory load, user guidance, etc.). For the ergonomic criteria, we decide to use those proposed by Scapin and Bastien [17]. To complete the ergonomic criteria we decide to use also it to the usability criteria defined by ISO/WD 9241-112 [78]. This standard concerns the ergonomic design principles for interactive systems related to the presentation of information that are useful for the design and evaluation of all types of user interfaces [78].

Table 4. Quality Issues of Universal Standardized Usability Questionnaires

Quality issues	QUIS	TAM	PSSUQ / CSUQ		AltUsability	T-CSUQ	SUMI	SUS	PUTQ	USE	UMUX	UMUX-LITE	ASQ	ER	UME	SMEQ	SEQ
Satisfaction										X	X						
Overall reaction to the software / Overall system	X		X	X		X											
Screen factors	X																
Terminology and system information	X																
(Ease of) Learning factors / (Learnability)	X						X	X	X	X							
System capabilities	X																
Ease of use / Usability		X						X		X		X					
System usefulness		X	X	X		X				X		X					
Information quality			X	X		X											
Interface quality			X	X		X											
Efficiency/ Efficient					X		X				X						
Affect							X										
Helpfulness							X										
Control					X		X										
Compatibility									X								
Consistency									X								
Flexibility									X								
Minimal action									X								
Minimal memory load									X								
Perceptual limitation									X								
User guidance									X								
Effectiveness											X						
Overall ease of task completion													X	X	X	X	X
Satisfaction with completion time													X				
Satisfaction with support information													X				
Easy Navigation					X												
Able Find					X												
Familiar					X												
Need					X												
Appeal					X												

Table 5. Quality Issues of Specific Standardized Usability Questionnaires

Quality issues	WAMMI	WEBUSE	WEQ	SUPR-Q	DEEP	MPUQ	SUISQ
Attractiveness	X						
Controllability	X						
Efficiency	X						
Learnability	X						
Helpfulness	X						
Content, organization, and readability		X					
Navigation and links		X					
User interface design		X					
Performance and effectiveness		X					
Content- Relevance			X				
Content- Comprehensibility			X				
Content- Comprehensiveness			X				
Navigation - User friendliness (ease of use)			X				
Navigation - Structure			X				
Navigation- Hyperlinks			X				
Navigation - Speed			X				
Navigation - Search option			X				
Layout			X				
Appearance				X			
Loyalty				X			
Usability				X			
Trust				X			
Content					X		
Structure and Information Architecture					X		
Navigation					X		
Cognitive Effort					X		
Layout Consistency					X		
Visual Guidance					X		
Ease of Learning and Use						X	
Helpfulness and Problem Solving Capabilities						X	
Affective Issue and Multimedia Properties						X	
Commands and Minimal Memory Load						X	
Control and Efficiency						X	
Typical Task for Mobile Phone						X	
User Goal Orientation							X
Customer Service Behavior							X
Speech Characteristics factor							X
Verbosity							X

Table 6. Existing Standardized Usability Criteria for Assessing User Interfaces

ISO 9241-11 [19]	Scapin and Bastien / AFNOR ergonomic criteria [17]	ISO/WD 9241-112 [78]
Effectiveness Efficiency Satisfaction	Guidance (prompting , grouping and distinguishing items, immediate feedback, legibility) Workload (brevity, information density) Explicit control (explicit user actions, user control) Adaptability (flexibility, users' experience) Error management (error protection, quality of error messages, error correction) Consistency Significance of codes Compatibility	Detectability Discriminability Appropriateness Consistency Comprehensibility

Based on these criteria we performed an analysis of all questionnaires with the goal to specify clearly which usability criteria of the three groups are covered and are not covered by the standardized questionnaires. About 475 questionnaires items have been analyzed according to the selected lists of usability criteria.

*A. Analysis results for universal standardized usability questionnaires*

For each questionnaire, we have followed a detailed analysis per item against criteria list for the three groups. We have mainly relied on the meaning of the item to associate to each usability criterion it is more related to. For example, the following item *“I can effectively complete my work using this system”* (extracted from CSUQ questionnaire) is more related to the effectiveness criterion. We used this process to analyze all items of the questionnaires. Therefore, we present the results in Table 7 that show the analysis results performed for the universal questionnaires. Nevertheless, we have excluded four questionnaires (SEQ, SMEQ, ER, and UME) since they contain only one item that concerns the criterion of overall ease of task completion. Table 8 presents some examples of items of our analysis per criterion.

We are aware that some criteria are usually interrelated and that some items are related to several criteria. For example, we assigned the following item: *“The organization of information on the system screens is clear”* (extracted from CSUQ, PSSUQ, and T-CSUQ) to both criteria: discriminability and guidance (see Table 8). A second item example, *“Do the commands have distinctive meanings?”*(extracted from PUTQ) is related to both criteria of comprehensibility of information presented and the significance of codes.

*B. Analysis results for specific standardized usability questionnaires*

Following the same analysis process per item as described previously, we have analyzed all items of specific standardized usability questionnaires. For example, we assigned the following item from the MPUQ questionnaire: *“Are the error messages effective in assisting you to fix problems?”* to the error management criterion. As an exception, we have excluded the SUISQ

of our analysis, due to its more specific criteria for interactive voice response applications. It concerns more the usability of service quality and addressed several criteria (friendliness, politeness of the system, speaking pace, use of familiar terms, naturalness, enthusiasm of the system voice, talkativeness and repetitiveness of the system). As a conclusion, analysis results are synthesized in Table 9. Further, we have presented in Table 10 some examples of items per criterion.

*C. Discussion*

The majority of the most used standardized usability questionnaires (e.g. SUMI, SUS, QUIS, CSUQ, etc.) covered general quality issues. The goal of this analysis was to provide practitioners some support about the specific usability criteria covered by the items of these questionnaires. This identification can be useful to select the appropriate questionnaire according to the quality requirements of the system. As shown in Tables 7 and 9, these analyses have identified specific usability criteria covered by universal and specific usability questionnaires. We note that the majority of universal questionnaires cover more than 6 of 15 usability criteria (see Figure 1). For example, we found that the five issues addressed by SUMI cover all mentioned usability criteria.

Concerning the specific standardized usability questionnaires (Figure 2), we found that most of them (WAMMI, WEBUSE, WEQ and DEEP) cover more than 7 of 15 usability criteria in addition to their current specific quality issues. Further, we note that the only questionnaire dedicated for mobile user interfaces (MPUQ) covers all the considered usability criteria. Subsequently, this analysis provides us the most addressed usability criteria by the standardized questionnaires. For universal questionnaires, we note that the three criteria of ISO 9241-11 (effectiveness, efficiency, and satisfaction) are the best considered, including each in 9 questionnaires (Figure 3). Also, this analysis has shown that 8 of 12 universal standardized questionnaires have been addressed to guide criterion selection instead of just a single questionnaire (PUTQ) as described in Table 4. For specific questionnaires, we observe that all of them cover the following criteria: efficiency, discriminability, appropriateness, workload and guidance (Figure 4).

Table 7. Analysis Results for Universal Standardized Usability Questionnaires

Usability criteria		QUIS	TAM	PSSUQ	CSUQ	AltUsability	T-CSUQ	SUMI	SUS	PUTQ	USE	UMUX	UMUX-Lite	ASQ
ISO 9421-11 criteria	Effectiveness	X		X	X		X	X			X	X	X	X
	Efficiency		X	X	X	X	X	X	X			X		X
	Satisfaction	X		X	X		X	X	X		X	X		X
ISO/WD 9241-112 criteria	Detectability	X	X					X		X				
	Discriminability	X		X	X		X	X		X				
	Appropriateness							X	X	X			X	
	Consistency	X						X	X	X	X			
	Comprehensibility	X	X					X		X				
Scapin and Bastien criteria	Guidance	X		X	X		X	X		X	X			X
	Workload			X	X		X	X		X	X			
	Explicit control					X		X		X				
	Adaptability	X	X			X		X		X	X			
	Error management	X		X	X		X	X		X	X			
	Consistency	X						X	X	X	X			
	Significance of codes	X						X		X				
Compatibility							X		X					

Table 8. Item Examples of Universal Usability Questionnaires as a Function of Standard Usability Criteria

Usability criteria	Items	Questionnaire	
ISO 9241-11 criteria	Effectiveness	Tasks can be performed in a straight-forward manner I can effectively complete my work using this system Tasks can be performed in a straight forward manner using this software I can use it successfully every time [This system's] capabilities meet my requirements ([48],[81]) Overall, I am satisfied with the ease of completing the tasks in this scenario [34]	QUIS CSUQ/PSSUQ/T-CSUQ SUMI USE UMUX/UMUX-Lite ASQ
	Efficiency	I am able to complete my work quickly using this system I found the system very cumbersome to use This software responds too slowly to inputs I have to spend too much time correcting things with [this system] [81] Overall, I am satisfied with the amount of time it took to complete the tasks in this scenario [34] Using [this product] in my job would enable me to accomplish tasks more quickly This system helps me to do my job more efficiently	CSUQ/PSSUQ/T-CSUQ SUS SUMI UMUX ASQ  TAM  AltUsability
	Satisfaction	Overall reactions to the software frustrating satisfying Overall, I am satisfied with this system I think that I would like to use this system Working with this software is satisfying I am satisfied with it Using [this system] is a frustrating experience ([48],[81]) Overall, I am satisfied with the ease of completing the tasks in this scenario	QUIS CSUQ/PSSUQ/T-CSUQ SUS SUMI USE UMUX ASQ
ISO/WD 9241-112 criteria	Detectability	Characters on the computer screen (hard to read,...., easy to read) Either the amount or quality of the help information varies across the system Are selected data highlighted? My interaction with [this product] would be clear and understandable	QUIS SUMI PUTQ TAM
	Discriminability	Organization of information on screen (confusing,...., very clear) The organization of information on the system screens is clear The way that system information is presented is clear and understandable Are menus distinct from other displayed information?	QUIS CSUQ/PSSUQ/T-CSUQ SUMI PUTQ
	Appropriateness	I found the various functions in the system were well integrated The software documentation is very informative Are data items kept short?	SUS SUMI PUTQ
	Comprehensibility	My interaction with [this product] would be clear and understandable I can understand and act on the information provided by this software Do the commands have distinctive meanings? Messages on screen which prompt user for input (confusing,....clear)	TAM SUMI PUTQ QUIS
	Consistency (of information presented)	Use of terms throughout system (inconsistent,...., consistent) I thought there was too much inconsistency in this system I think this software is inconsistent Is the display format consistent? I don't notice any inconsistencies as I use it	QUIS SUS SUMI PUTQ USE
Scapin and Bastien criteria	Guidance	Highlighting on the screen simplifies task Computer keeps you informed about what it is doing ( never always) Help messages on the screen (unhelpful,...., helpful) The information (such as online help, on-screen messages and other documentation) provided with this system is clear The organization of information on the system screens is clear The organization of the menus seems quite logical It makes the things I want to accomplish easier to get done Are groups of information demarcated? Is the guidance information always available? Is HELP provided? Overall, I am satisfied with the support information (online help, messages, documentation) when completing the tasks	QUIS QUIS QUIS CSUQ/PSSUQ/T-CSUQ  CSUQ/PSSUQ/T-CSUQ SUMI USE PUTQ PUTQ PUTQ ASQ
	Workload	It is easy to find the information I needed There is never enough information on the screen when it's needed There are too many steps required to get something to work It requires the fewest steps possible to accomplish what I want to do with it Is the screen density reasonable?	CSUQ/PSSUQ/T-CSUQ SUMI SUMI USE PUTQ
	Explicit control	I feel in command of this software when I am using it Does it provide CANCEL option? I feel in control when I work within this system	SUMI PUTQ AltUsability
	Consistency (of interface design choices)	Use of terms throughout system (inconsistent,...., consistent) I thought there was too much inconsistency in this system I think this software is inconsistent Is the display format consistent? I don't notice any inconsistencies as I use it	QUIS SUS SUMI PUTQ USE

Table 8 (cont.). Item Examples of Universal Usability Questionnaires as a Function of Standard Usability Criteria

Usability criteria	Items	Questionnaire
Adaptability	Experienced and inexperienced users' needs are taken into consideration It is obvious that user needs have been fully taken into consideration It is easy to make the software do exactly what you want I would find it easy to get [this product] to do what I want it to do. I would find [this product] to be flexible to interact with It is flexible Both occasional and regular users would like it Does system provide good training for different users? Can user name displays and elements according to their needs? This system offers capabilities familiar to me	QUIS SUMI SUMI TAM TAM USE USE PUTQ PUTQ AltUsability
Error management	Error messages (unhelpful, ..., helpful) /Correcting your mistakes difficult The system gives error messages that clearly tell me how to fix problems Whenever I make a mistake using the system, I recover easily and quickly Error messages are not adequate I can recover from mistakes quickly and easily Are erroneous entries displayed? Are error messages non-disruptive/informative?	QUIS CSUQ/PSSUQ/T-CSUQ CSUQ/PSSUQ/T-CSUQ SUMI USE PUTQ PUTQ
Significance of codes	Computer terminology is related to the task you are doing I sometimes wonder if I am using the right function Are the command names meaningful? Do the commands have distinctive meanings?	QUIS SUMI PUTQ PUTQ
Compatibility	The software hasn't always done what I was expecting Is the control of cursor compatible with movement? Are the results of control entry compatible with user expectations?	SUMI PUTQ PUTQ

Table 9. Analysis Results for the Specific Standardized Usability Questionnaires

Usability criteria	WAMMI	WEBUSE	WEQ	SUPR-Q	DEEP	MPUQ
ISO 9421-11 criteria	Effectiveness		X			X
	Efficiency	X	X	X	X	X
	Satisfaction	X			X	X
ISO/WD 9241-112 criteria	Detectability	X	X	X		X
	Discriminability	X	X	X	X	X
	Appropriateness	X	X	X	X	X
	Consistency		X			X
	Comprehensibility	X	X	X		X
Scapin and Bastien criteria	Guidance	X	X	X	X	X
	Workload	X	X	X	X	X
	Consistency		X			X
	Explicit control	X	X			X
	Adaptability					X
	Error management		X			X
	Significance of codes	X	X	X		X
Compatibility					X	

Table 10. Item Examples of Specific Usability Questionnaires as a Function of Standard Usability Criteria

Usability criteria	Items	Questionnaire
ISO 9241-11 criteria	Effectiveness It is efficient to use this website. Does the product support the operation of all the tasks in a way that you find useful?	WEBUSE MPUQ
	Efficiency I need not wait too long to download a file or open a page I think it takes a long time to download a new web page from this site. I am able to find what I need quickly on this website I could quickly get to know the structure of the website by skimming its home page. Does this product enable the quick, effective, and economical performance of tasks?	WEBUSE WEQ SUPR-Q DEEP MPUQ
	Satisfaction I don't like using this website I enjoy using the website Do you feel excited when using this product?	WAMMI SUPR-Q MPUQ
ISO/WD 9241-112 criteria	Detectability This website helps me find what I am looking for Reading content at this website is easy Placement of links or menu is standard throughout the website and I can easily recognize them It is clear which hyperlink will lead to the information I am looking for. The wording of the text was clear. The highlighted areas of a page helped me locate the information I needed Are the characters on the screen easy to read?	WAMMI WEBUSE WEBUSE  WEQ DEEP DEEP MPUQ
	Discriminability This website seems logical to me. The content of this website is well organized I find the structure of this website clear The website has a clean and simple presentation Under each section of the website, the web pages were well organized. Is the organization of information on the product screen clear?	WAMMI WEBUSE WEQ SUPR-Q DEEP MPUQ
	Appropriateness I can quickly find what I want on this website. I can easily find what I want at this website I find the information in this website precise The information on this website is valuable It was easy to find the information I needed on the website Is the amount of information displayed on the screen adequate?	WAMMI WEBUSE WEQ SUPR-Q DEEP MPUQ
	Comprehensibility Everything on this website is easy to understand I am comfortable and familiar with the language used I find the information in this website easy to understand The content (including text, pictures, audios, and videos etc.) was easy to understand Is the interface with this product clear and understandable?	WAMMI WEBUSE WEQ DEEP MPUQ
	Consistency (of information presented) This website has a consistent feel and look The layout under each section of the website was consistent Is the data display sufficiently consistent?	WEBUSE DEEP MPUQ
	Scapin and Bastien criteria	Guidance This website helps me find what I am looking for. This website always provides clear and useful messages when I don't know how to proceed I can easily know where I am at this website I always know where I am on this website The website has a clean and simple presentation This website helped me find what I was looking for Is the backlighting feature for the keyboard and screen helpful?
Workload I can quickly find what I want on this website I can easily find what I want at this website I find the information in this website precise The information on this website is valuable It was easy to find the information I needed on the website Are data items kept short?		WAMMI WEBUSE WEQ SUPR-Q DEEP MPUQ
Explicit control I feel in control when I'm using this website. It is easy to move around at this website by using the links or back button of the browser Can you regulate, control, and operate the product easily?		WAMMI WEBUSE  MPUQ
Consistency (of interface design choices) This website has a consistent feel and look The layout under each section of the website was consistent Is the data display sufficiently consistent?		WEBUSE DEEP MPUQ
Adaptability Have the user needs regarding this product been sufficiently taken into consideration?		MPUQ
Error management This website does not contain too many web advertisements Are the messages aimed at prevent you from making mistakes adequate? Are the error messages effective in assisting you to fix problems?		WEBUSE MPUQ MPUQ
Significance of codes I get what I expect when I click on things on this website I am comfortable and familiar with the language used I find many words in this website difficult to understand I got what I expected when I clicked on things on this website Are the command names meaningful?		WAMMI WEBUSE WEQ DEEP MPUQ
Compatibility Are the color coding and data display compatible with familiar conventions?		MPUQ




Figure 1. Universal standardized Usability Questionnaire: Quality issues and Usability Criteria




Figure 2. Specific standardized Usability Questionnaire: Quality issues and Usability Criteria




Figure 3. Number of Universal Questionnaires by Usability Criteria




Figure 4. Number of Specific Questionnaires by Usability Criteria

### V. CONCLUSION AND NEW PERSPECTIVES

In this paper, our purpose was to review existing standardized usability questionnaires to give more support to practitioners and researchers when choosing appropriate usability questionnaires. These questionnaires have been standardized as a function of their reliability and validity measures and compared on the basis of their sensitivity degrees. The similarity of these measures cannot provide the support required to select questionnaires. Furthermore, general quality issues characterizing these questionnaires make difficult their use for detecting users' perceptions about specific usability problems. In this review, we have focused on studying questionnaires' items based on the main known usability criteria in literature. We emphasize some perspectives for further research about usability questionnaires.

To improve these instruments and make them more useful in the detection of usability problems, it is essential to provide more support in the interpretation of their results. With the advancement of technology, intelligent support proved to be very interesting. Technologies such as expert systems, knowledge-based systems or agents should be explored in this direction.

The use of questionnaires can be complemented by several usability methods (such as, inspection methods, simulation) to perform a complete usability evaluation. Several research works also share our perspective. They have largely recommended and investigated the combination of several usability evaluation methods. We are currently working on the integration of questionnaires with objective usability measures extracted from different evaluation methods such as task completion, overall density of a user interface, etc.

Finally, with the development and emergence of new technologies, usability questionnaires are required to be

adaptable for evaluating new kinds of interactive systems (e.g. ubiquitous systems, tangible systems).

#### REFERENCES

- [1] K. Hornbæk, "Current practice in measuring usability: Challenges to usability studies and research," *International Journal of Human-Computer Studies*, vol. 64, no. 2, 2006, pp.79–102.
- [2] J.R. Lewis, and J.Sauro, "The factor structure of the System Usability Scale," in: M. Kurosu,(Ed.), *Human Centered Design, HCI 2009 Springer-Verlag, Heidelberg, Germany, 2009*,pp. 94-103.
- [3] J. Sauro, and J. R. Lewis, "Quantifying the User Experience Practical Statistics for User Research,"Elsevier, 2012, ISBN: 978-0-12-384968-7.
- [4] J. R. Lewis, "Usability: Lessons Learned . . . and Yet to Be Learned," *International Journal of Human-Computer Interaction*, vol. 30, no. 9, 2014, pp. 663–684.
- [5] J. Sauro, "SUPR-Q: A Comprehensive Measure of the Quality of the Website User Experience," *Journal of usability studies*, vol.10 , no. 2, 2015, pp. 68-86.
- [6] J. R. Lewis, B.S. Utesch, and D.E. Maher, "Measuring Perceived Usability: The SUS, UMUX-LITE, and AltUsability," *International Journal of Human-Computer Interaction*, vol.31, no.8, 2015, pp.496-505.
- [7] J. R. Lewis, J. Brown, and D.K. Mayes, "Psychometric Evaluation of the EMO and the SUS in the context of a Large-Sample Unmoderated Usability study," *International Journal of Human-Computer Interaction*, vol.31, no.8, 2015, pp. 445-553.
- [8] K. Hamborg, B. Vehse, and H. Bludau, "Questionnaire based usability evaluation of hospital information systems," *Electronic journal of Information Systems Evaluation*,vol. 7, no.1, 2004, pp.21–30.
- [9] J. Preece, Y. Rogers, H. Sharp, D. Benyon, S. Holland, and T.Carey, "Human-Computer Interaction," Essex, England: Addison-Wesley Longman Limited, 1994.
- [10] A.Seffah, M.Donyaee, R. Kline, and H. Padda, "Usability measurement and metrics : A consolidated model,"*Software Quality Journal*, vol.14, no.2, 2006,pp. 159-178.
- [11] D.Alonso-Rios, A. Vazquez-Garcia,E. Mosqueira-Rey, and V.Moret-Bonillo, "Usability: A critical analysis and taxonomy," *International Journal of Human-Computer Interaction*, vol.26,2010, pp.53-74
- [12] B.Shackel,"Usability–context,framework,design and evaluation,"in B.Shackel, and S. Richardson,(eds.): *Human Factors for Informatics Usability*, Cambridge University Press, Cambridge, 1991, pp. 21-38.
- [13] B. Shneiderman, "Designing the user interface (2nd edition): strategies for effective human computer interaction,"Addison-Wesley Longman Publishing Corporation, Inc., Boston, MA, USA, 1992.
- [14] J. Nielsen, "Usability engineering,"Academic Press, Boston, 1993.
- [15] M. van Welie, G. van der Veer, and A. Eliens, "Breaking down Usability," in M. Sasse and C. Johnson, eds: *Proceedings of INTERACT 99*, Edinburgh, Scotland, 1999, pp. 613–620.
- [16] J. Nielsen, "Usability laboratories [Special issue]," *Behavior and Information Technology*, vol. 13, 1994.
- [17] D. L. Scapin, and J. M.C.Bastien, "Ergonomic criteria for evaluating the ergonomic quality of interactive systems," *Behaviour and Information Technology*, vol.16, 1997, pp. 220-231.
- [18] B.Shneiderman, "Tree maps for space-constrained visualization of hierarchies,"*Human Computer Interaction Lab, University of Maryland*,1998.
- [19] ISO 9241-11, "Ergonomic requirements for office work with visual display terminals (VDT)- Part 11 Guidance on usability," 1998.
- [20] ISO/IEC 9126-1, "Software engineering -- Product quality -- Part 1: Quality model,"2001.
- [21] ISO/IEC 25010, "Systems and software engineering — Systems and software Quality Requirements and Evaluation (SQuaRE) — System and software quality models," *International Organization for Standardization, Geneva, Switzerland*, 2011.
- [22] H.R. Hartson, T.S. Andre, and R.C. Will, "Criteria for evaluating usability evaluation methods,n" *International Journal of Human-Computer Interaction*, vol.15, no. 1, 2003,pp.145-181.
- [23] H. Thoma, "A system for subjective evaluation of audio, video and audio visual quality using mushra and samviq methods," *Consumer Communications and Networking Conference (CCNC)*,Las Vegas, 2012, pp. 337–341.
- [24] K. Kunze, and D. Strohmeier, "Examining subjective evaluation methods used in multimedia quality of experience research," *Quality of Multimedia Experience (QoMEX)*, Fourth International Workshop on Yarra Valley, VIC, 2012, pp. 51-56.
- [25] A. Assila, H. Ezzedine, and M.S. Bouhleb, "A Web questionnaire generating tool to aid for interactive systems quality subjective assessment," *IEEE International Conference on Control, Decision and Information Technologies, Hammamet, Tunisia*, pp. 1-7.
- [26] N. Nishiuchi, Y. Takahashi, "Objective Evaluation Method of Usability Using Parameters of User's Fingertip Movement," *Transactions on Computational Science XXV, Lecture Notes in Computer Science*, vol.9030,2015,pp 77-89.
- [27] H. Olsen, "An evaluation of danish qualitative interview investigations," *Nordisk Psykologi*, vol.54, no.2, 2002, pp. 145-172.
- [28] J. Nielsen, "The use and misuse of focus groups,"*Software IEEE*, vol. 14, no.1, 1997, pp.94-95.
- [29] R. Hartson, and P.S. Pyla, "The UX Book: Process and guidelines for ensuring a quality user experience,"Amsterdam, the Netherlands: Morgan Kaufmann, Elsevier,2012, ISBN: 978-0-12-385241-0.
- [30] T. Yang, J. Linder, and D.Bolchini, "DEEP: Design-Oriented Evaluation of Perceived Usability," *International Journal of Human Computer Interaction*, vol.28, no.5, 2012, pp. 308-346.
- [31] J.P.Chin, V.A. Diehl, K.L. Norman, "Development of an instrument measuring user satisfaction of the human–computer interface,"in *Proceedings of CHI 1988*, ACM, Washington, DC, 1988, pp. 213-218.
- [32] F.D. Davis, "Perceived Usefulness, Perceived Ease of Use, and User Acceptance of Information Technology," *MIS Quarterly*, vol.13, 1989, pp.319-340.
- [33] J.R. Lewis, J.R, "Psychometric evaluation of an after-scenario questionnaire for computer usability studies: The ASQ," *ACM SIGCHI Bulletin*, vol.23, no.1, 1991, pp.78–81.
- [34] J.R. Lewis, "IBM computer usability satisfaction questionnaires: Psychometric evaluation and instructions for use," *International Journal of Human Computer Interaction*, vol. 7, 1995, pp.57–78.
- [35] J.R. Lewis, "Psychometric evaluation of the Post-Study system usability questionnaire: The PSSUQ,"in *Proceedings of the Human Factors Society 36th Annual Meeting*, Human Factors Society, Santa Monica, CA, 1992,pp. 1259-1263.
- [36] J. Kirakowski, and M. Corbett, "SUMI: The software usability measurement inventory," *British Journal of Educational Technology*, vol.24, 1993, pp.210–212.
- [37] J. Brooke, "SUS: A "quick and dirty" usability scale," in P. Jordan,B.Thomas, and B. Weerdmeester,(Eds.):*Usability Evaluation in Industry*, Taylor & Francis, London, 1996, pp. 189-194.
- [38] H.X Lin, Y.Y. Choong, and G.Salvendy, "A Proposed Index of Usability: A Method for Comparing the Relative Usability of Different Software Systems Usability Evaluation Methods," *Behavior and Information Technology*, vol.16, no.4/5, 1997, pp.267-278.
- [39] J.Kirakowski, and B. Cierlik, "Measuring the usability of websites," in *Proceedings of the Human Factors and Ergonomics Society 42nd Annual Meeting HFES*, Santa Monica, CA, 1998, pp. 424–428.
- [40] A. Lund, "Measuring usability with the USE questionnaire," *Usability and User Experience Newsletter, STC Usability SIG*, vol.8, no.2, 2001, pp.1–4.
- [41] W. Albert, and E. Dixon, "Is this what you expected? The use of expectation measures in usability testing," in *Proceedings of Usability Professionals Association 2003 Conference*, Scottsdale, AZ, June2003.

- [42] K.T. Chiew, S.S. Salim, "WEBUSE: Website usability evaluation tools," *Malaysian Journal of Computer Science*, vol.16, no.1, 2003, pp.47-57.
- [43] M. McGee, "Usability magnitude estimation," in Proceedings of the Human Factors and Ergonomics Society 47th Annual Meeting, HFES, Santa Monica, CA, 2003, pp. 691-695.
- [44] Y.S. Ryu, and T.L. Smith-Jackson, "Usability Questionnaire Items for Mobile Products and Content Validity," in Proceedings of HCI International, Las Vegas, 2005, pp. 22-27.
- [45] D.P. Tedesco, and T.S. Tullis, "A comparison of methods for eliciting post-task subjective ratings in usability testing," Proceedings of the Usability Professionals Association Conference, Broomfield, CO, 2006.
- [46] S. Elling, L. Lentz, and M. Jong, "Website Evaluation Questionnaire: Development of a Research-Based Tool for Evaluating Informational Websites," in M.A. Wimmer, H.J. Scholl and A. Grönlund (Eds.) *Lecture Notes in Computer Science*, vol.4656, Springer-Verlag, Berlin Heidelberg, 2007, pp. 293-304.
- [47] J.Sauro, and J.S. Dumas, "Comparison of three one-question, post-task usability questionnaires," in Proceedings of CHI 2009, ACM, Boston. 2009, pp. 1599-1608.
- [48] K. Finstad, "The usability metric for user experience," *Interacting with Computers*, vol.22, no.5, 2010, pp.323-327.
- [49] J. Sauro, "The Standardized Universal Percentile Rank Questionnaire (SUPR-Q)," 2011, Available at [www.suprq.com/](http://www.suprq.com/).
- [50] O. Erdinç, and J.R. Lewis, "Psychometric Evaluation of the T-CSUQ : The Turkish Version of the Computer System Usability Questionnaire" *International Journal of Human and Computer Interaction*, vol.29, no.5, 2013, pp. 319-326.
- [51] J.R. Lewis, B.S. Utesch, and D.E. Maher, D.E, "UMUX-LITE – When There's No Time for the SUS," Proceedings of the SIGCHI Conference on Human Factors in Computing Systems, 2013, pp. 2099-2102.
- [52] M.D.Polkosky, "Machines as mediators: The challenge of technology for interpersonal communication theory and research," in E.Kojin (Ed.):*Mediated interpersonal communication*, New York: Routledge, 2008, pp.34-57.
- [53] J.R. Lewis, and M.L.Hardzinski, "Investigating the psychometric properties of the Speech User Interface Service Quality questionnaire" *International Journal of Speech Technology*, vol. 18, no.3,2015, pp.479-487.
- [54] R. Likert, "A Technique for the Measurement of Attitudes," *Archives of Psychology*, vol.140, 1932, pp.1-55.
- [55] J. G.Snyder, and C.E. Osgood, "Semantic Differential Technique," A Sourcebook. Chicago: Aldine, 1969.
- [56] J.C Nunnally, "Psychometric theory," (3<sup>rd</sup> Revied edition), New York: McGraw-Hill, 1993, ISBN: 978-0070478497.
- [57] M. Hassenzahl, M. Burmester, and F. Koller, "AttrakDiff: questionnaire to measure perceived hedonic and pragmatic quality," in: J.Ziegler and G. Szwillus (Hrsg.), *Mensch und Computer Interaktion, Bewegung*, 2003, pp. 187-196.
- [58] K.Väänänen-Vainio-Mattila, and K.Segerståhl, "A Tool for Evaluating Service User eXperience (ServUX): Development of a Modular Questionnaire," in User Experience Evaluation Methods in Product Development (UXEM'09), Workshop in Interact'09 conference, Uppsala, Sweden, 2009.
- [59] N. McNamara, J. Kirakowski, "Measuring user-satisfaction with electronic consumer products: The consumer products questionnaire," *International Journal of Human-Computer Studies*, vol. 69, no.6, 2011, pp.375 -386.
- [60] J.R. Lewis, and D.K.Mayes, "Development and psychometric evaluation of the Emotional Metric Outcomes (EMO) questionnaire," *International Journal of Human-Computer Interaction*, vol.30, 2014, pp. 685-702.
- [61] H. S. Naeini and S. Mostowfi, "Using QUIS as Measurement Tool for User Satisfaction Evaluation (Case study: Vending Machine)," *International Journal of Information Science*, vol. 5, no.1, 2015, pp. 14-23.
- [62] G.K.Akilli, "User satisfaction evaluation of an educational website," *The Turkish Online Journal of Educational Technology*, vol.4, no.1, 2005, pp.85-92.
- [63] K. Milis, P. Wessa, S. Poelmans, C. Doom, and E. Bloemen, "The Impact Of Gender On The Acceptance Of Virtual Learning Environments," KU Leuven Association, Belgian, 2008.
- [64] T. Chandrasekera, "Using Augmented Reality Prototypes in Design Education," *Design and Technology Education: an international Journal*, vol.19, no.3, 2014, pp.33-42.
- [65] J. Liaskos, J. Mantas, "Measuring the user Acceptance of a Web-Based Nursing Documentation System," *Methods Informatics Medical*, vol. 45, no.1, 2006, pp.116-120
- [66] C. Debruyne and P.De Leenheer, "Using a Method and Tool for Hybrid Ontology Engineering: an Evaluation in the Flemish Research Information Space," *Journal of Theoretical and Applied Electronic Commerce Research*, vol.9.no.2, 2014, pp.48-63.
- [67] E. Van Veenendaal, "Questionnaire based usability testing," in Conference Proceedings European Software Quality Week, Brussels, November 1998.
- [68] Z.Mansor, Z.M.Kasirun, S.Yahya, N.H.Arshad, "The Evaluation of WebCost Using Software Usability Measurement Inventory (SUMI)," *International Journal of Digital Information and Wireless Communications*, vol.2, no.2, 2012, pp.197-201.
- [69] G. McArdle, "Exploring the Use of 3D Collaborative Interfaces for E-Learning," Horia-Nicolai Teodorescu, Junzo Watada, and Lakhmi C. Jain (Eds.): *Intelligent Systems and Technologies*, Springer-Verlag Berlin Heidelberg, 2009, pp.249-270.
- [70] N.M. Rusli, S. Hassan, and N.E.Liau, "Usability Analysis of Students Information System in a Public University," *Journal of Emerging Trends in Engineering and Applied Sciences*, vol.4, no.6, 2013, pp.806-810
- [71] R.De Asmundis, "An evaluation model to measure impact and usability of a serious game," Master's thesis, University of Bari Aldo Moro, 2014.
- [72] M.E.C. Santos, J.Polvi, T. Taketomi, G. Yamamoto, C.Sandor, and H. Kato, "Toward Standard Usability Questionnaires for Handheld Augmented Reality," *IEEE Computer Graphics and Applications*, vol.35, no.5, 2015, pp.50-59.
- [73] A.H. Zins, U.Bauernfeind, F.D.Missier, N.Mitsche, F.Ricci, H.Rumetshofer, and E. Schaumlechner, "Prototype Testing for a Destination Recommender System: Steps, Procedures and Implications," in Proceedings of Enter 2004, Cairo, Springer Verlag, 2004, pp. 249-258.
- [74] A.Kiselev and A.Loutfi, "Using a Mental Workload Index as a Measure of Usability of a User Interface for Social Robotic Telepresence," in Proceedings of the Ro-Man Workshop on Social Robotic Telepresence, 2012, pp. 3-6.
- [75] S.Borsci, S.Federici, M.Gnaldi, S.Bacci, and F.Bartolucci, "Assessing user Satisfaction in the era of User Experience: Comparison of the SUS, UMUX, and UMUX-LITE as a function of Product Experience," *International Journal of Human-Computer Interaction*, vol.31, no.8,2015, pp.484-495.
- [76] T.S. Tullis, and J.N.Stetson, "A comparison of questionnaires for assessing website usability," Proceedings of the Usability Professionals Association Conference, 1-12, Minneapolis, Minn, USA, June 2004.
- [77] J.Benedek, and T. Miner, "Measuring desirability: New methods for evaluating desirability in a usability lab setting," Usability Professionals Association Conference, Orlando, July 2002.
- [78] ISO/WD 9241-112, "Ergonomics of human-system interaction — Part 112:Principles for the presentation of information,"2013.
- [79] ISO 9241-110, "Dialogue principles: Ergonomics of human-system interaction -- Part 110,"2006.
- [80] J.M.C. Bastien, and L. Scapin, "Evaluation des systèmes d'information et critères ergonomiques," in C.Kolski(Ed.), *Environnement évolués et évaluation de l'IHM*, vol.2, Paris: Hermès, 2001, pp. 53-80.
- [81] N. Kerzazi, and M. Lavallée, "Inquiry on usability of two software process modeling systems using ISO/IEC 9241," in *Electrical and Computer Engineering (CCECE)*, 2011, pp.773-776.